TOWN OF ACTON AZARDOUS MATERIALS CONTROL BYLAW

ACTON BOARD OF HEALTH

April 1, 2004

Due - \$150

Category 2, 4, 9, 12

Acton Dry Cleaners 427 Great Road Acton, MA 01720

HAZARDOUS MATERIALS CONTROL PERMIT RENEWAL APPLICATION Categories

- 1. Hazardous Waste Generator (\$40)
- 3. Hazardous Materials Generator (\$40)
- 5. Discharge Permit (\$75)
- 7. Hazardous Waste User (\$40)
- 9. Haz. Mat. Storer Small Industry
- 11. Haz. Mat. Storer Small Retail
- 13. Haz. Waste Storer Retail

- 2. Small Hazardous Waste Generator (\$20)
- 4. Hazardous Materials User (\$20)
- 6. Remediation Permit (\$75)
- 8. Haz. Mat. Storer Large Industry (\$150)
- 10. Haz. Mat. Storer Large Retail
- 12. Haz. Waste Storer Industry

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME:	ACTON	DRY (LEAN

427 GREAT RD., ACTON, MA 01720 **ESTABLISHMENT ADDRESS:**

978-264-9928 **ESTABLISHMENT TELEPHONE:**

OWNERS/CORPORATE OFFICERS:

4 BUCKBOARD DR WESTFORD, MA 81886 ADDRESS:

TELEPHONE:

ON-SITE MANAGER:

Mo thru Fir 7:00-6:30PM SAT 9:00-5:00PM. OPERATING SCHEDULE:

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid

all state taxes required under law.

Issued 7-7-2004

\$150 Expires 5/1/05

TOWN OF ACTON PERMIT HAZARDOUS MATERIALS CONTROL BYLAW

Acton Dry Cleaners of 427 Great Road, Acton, MA 01720

Is hereby granted a permit to store and use Hazardous Materials at **427 Great Road**Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories:

2, 4, 9, 12

*See below explanation of permit categories

HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES

<u>Category</u>	<u>Initial</u>	Renewal
Large Hazardous Waste Generator	\$100	\$40
2. Small Hazardous Waste Generator	\$30	\$20
3. Hazardous Materials Generator	\$100	\$40
4. Hazardous Materials User	\$30	\$20
5. Remediation Discharge Permit	\$400	\$75
6. Remediation Permit	\$400	\$75
7. Hazardous Waste User	\$100	\$40 '
8. Hazardous Materials Storer Large Industry	\$350	\$150
9. Hazardous Materials Storer Small Industry	\$250	\$90
10. Hazardous Materials Storer Large Retail	\$300	\$100
11. Hazardous Materials Storer Small Retail	\$200	\$75
14. Hazardous Waste Storer Large Industry	\$100	\$40
12. Hazardous Waste Storer Small Industry	\$30	\$20
13. Hazardous Waste Storer Retail	\$30	\$20

HAZARDOUS MATERIALS CONTROL PERMIT

List of Conditions: Acton Dry Cleaners 427 Great Road Acton, MA 01720

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

- 1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
- 2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
- 3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
- 4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
- 5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
- 6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
- All Hazardous Materials Containers shall be labeled and dated when filling first began.
- 8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
- 10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
- 11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
- 12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
- 14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.
- No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.

- 18. D.E.P. Generator Registration shall be provided annually upon renewal of the Hazardous Materials Storage Permit.
- 23. Directions written in two languages, English and a second language used by two or more employees (when applicable), shall be posted in clear view, listing emergency procedures.
- 25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
- 26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.
- The Board of Health and the Fire Department shall be notified of any significant spill.